



PRODUCT GUIDE

Professional Landscaping Equipment



**Suppliers of quality machinery
to the Hire Industry**



ABOUT US

Welcome to our product catalogue showcasing our comprehensive range of high quality landscaping products from leading innovative European manufacturers that offers machinery specifically chosen to meet the high usage demands of the hire industry. We strongly believe that our range of high quality machines take equipment suitable for rental to a new level.

Our range of products are tried and tested and every machine in our range incorporates important safety features to ensure users are safe and protected. With a group heritage in grounds care dating back to 1975 we have a true understanding of what customers require and we offer an extensive product range with full support and advice.

Our dedicated team offer unrivalled customer service and a first class level of expertise to ensure you make the correct investment in your rental fleet.

OUR BRANDS

AS Motor - Highly innovative German manufacturer AS Motor produce specialist mowers for high grass, steep slopes and difficult terrain. Their range of robust, high performance machines includes brushcutters, flails and ride-on mowers to help create the perfect landscape.

Eliet - World-renowned innovative Belgium manufacturer Eliet produce a wide range of grounds care and landscaping solutions. Their extensive range of products offer solutions for green waste and lawn and turf care and are made with precision engineering ensuring simple, effective products of the highest quality.

Koppl - Cutting edge innovative German manufacturer Koppl produce high quality, high performance compact tool carriers with a comprehensive range of rapid change attachments. This unique system enables machines to be built to meet specific needs offering a reliable and efficient solution whatever the task.

TS Industrie - Manufacturers of the Green Series green waste shredders with a patented mixed rota combining blades and hammers.

OUR MISSION

"PSD was born out of a passion for the landscaping industry and our aim is to supply high quality and high performance machinery suitable for exceeding the needs of the UK hire market."

CONTENTS

AS MOTOR PAGES 3 - 9

Ride-On Flail Mower
Pedestrian Flail Mowers
Ride-On Brushcutters
Pedestrian Brushcutters
Weed Removal
Implement Carrier & Attachments

ELIET PAGES 10 - 17

Green Waste Shredders
Scarifiers
Turf Cutter
Seeder
Pedestrian Overseeder

KOPPL PAGE 18

Compact Tool Carrier
Attachments

TS INDUSTRIES PAGE 19

Green Series - Green Waste Shredders




MADE IN GERMANY

Create the perfect landscape with the innovative, high performance range of machines from AS Motor.

REASONS TO CHOOSE AS MOTOR

- Long grass mulching specialists
- Masters of banks mowing
- Innovative and reliable
- Robust, high performance equipment



AS 1040 YAK 4WD



SEE MORE



The AS 1040 YAK's 100 cm wide flail mowing unit is a superior alternative to conventional rotary mowing.

Offering maximum stability and robustness – the flail mowing unit provides a wider cutting width with maximum stability. Rotary mowers with similar working widths hit their limits in extreme terrain.

In the event of unseen foreign objects, the flail mower unit is at significantly less risk of damage and ensures greater operator safety. Uniform cutting results – for visually perfect mowing results across the complete working width.



Easy to operate, single lever hydrostatic transmission



Floating mower deck – adapts to rough and uneven terrain



Easy maintenance – simple replacement of the flails and drive belts

Model	AS 1040 YAK 2WD (G90400201)	AS 1040 YAK 4WD (G90400101)
Engine	23hp (Max) B & S 4-Stroke 2-Cylinder Vanguard, V-Twin 3864, 627 ccm	23hp (Max) B & S 4-Stroke 2-Cylinder Vanguard, V-Twin 3864, 627 ccm
Wheel drive speed	Rear two-wheel drive Hydrostat available, Forward: 0 - 6.8 km/h, Reverse: 0 - 6.3 km/h	Permanent all-wheel drive Hydrostat available, Forward: 0 - 6.8 km/h, Reverse: 0 - 6.3 km/h
Cutting width	100 cm	100 cm
Cutting height adjustment	Central 30-110 mm, 7x	Central 30-110 mm, 7x
Work rate m ² /h	Max 6800	Max 6800
Weight	323 kg	335 kg
Dimensions	L199 x W122 x H159 cm (108cm)	L199 x W122 x H159 cm (108cm)

AS Motor Flail Mowers offer a robust solution for mowing tall grass and brush on steep slopes or large areas of unknown territory. The highly efficient blade system avoids foreign objects in the ground while chopping and distributing the cut grass and scrub perfectly.

AS 901 SM

The AS 901 Flail offers a robust flail mowing deck with 26 x Y-flails for a precise, safe and convenient solution. The 90 cm working width maximises the work rate performance.

Model	AS 901 SM	(G90100001)
Engine	16hp (Max) B+S 4-Stroke 2-Cylinder Vanguard, V-Twin 480 ccm	
Wheel drive speed	Rear-Wheel drive 1.2-4.0 km/h, Reverse 1.8 km/h	
Cutting width	90 cm (26 Y-flails)	
Cutting height adjustment	Central 10-100 mm, 6x	
Work rate m ² /h	Max 3600	
Weight	215 kg	
Dimensions	L220 x W104 x H105 cm	



Machine control – the steering clutch makes it possible to turn on a sixpence

SEE MORE



AS 701 SM

The AS 701 Flail with 20 x Y-flails is suitable for rugged mowing including on slopes yet is lightweight and well balanced for operator comfort.

Model	AS 701 SM	(G90100701)
Engine	13hp (Max) B+S 4-Stroke 1-Cylinder, Series 3 INTEK, 344 ccm	
Wheel drive speed	Rear-Wheel drive 1.1-3.6 km/h, Reverse 1.7 km/h	
Cutting width	70 cm (20 Y-flails)	
Cutting height adjustment	Central 10-100 mm, 6x	
Work rate m ² /h	Max 2500	
Weight	196 kg	
Dimensions	L220 x W84 x H105 cm	



Height adjustment – easy height adjustment of the mower deck via single lever operation

SEE MORE



Blade system – robust steel housing complete with heavy duty flails

AS 940 SHERPA 4WD



DO YOU WANT TO MOW WHERE EVEN WALKING IS DIFFICULT?

IS THE INCLINE TOO STEEP?

IS THE THICK GRASS UP TO 1.5M IN HEIGHT AND WITH SCRUB INTERSPERSED?

There is only one solution: the AS 940 XL, a powerful 4WD ride-on mower that offers increased ground clearance. For added flexibility the remote-controlled model offers all the benefits of the standard AS 940 Sherpa but with the option to convert to remote control where ride-on operation is not possible e.g. steep incline.



Blade system – lower blade with swing tips and fixed upper cross blade



Comfort seat – impressive leg room for tall users and adjustable seat suspension



Floating cutting deck – providing additional ground clearance on uneven terrain

Model	AS 940 SHERPA 4WD XL (G06900006)	AS 940 SHERPA 4WD RC (G06900401)
Engine	27hp (Max) B+S 4-Stroke 2-Cylinder, Professional Series 8, 724 cc	27hp (Max) B+S 4-Stroke 2-Cylinder, Professional Series 8, 724 cc
Wheel drive speed	Permanent all-wheel drive Hydrostat variable, Forward: 0–6.7 km/h Reverse: 0–6.5 km/h	Permanent all-wheel drive Hydrostat variable, Forward: 0–6.7 km/h Reverse: 0–6.5 km/h
Cutting width	90 cm	90 cm
Cutting height adjustment	Central 80–135 mm, 5 x	Central 80–135 mm, electric variable
Work rate m ² /h	Max 6000	Max 6000
Weight	298 kg	310 kg
Dimensions	L191 x W106 x H156 cm	L191 x W106 x H156 cm

AS 915 SHERPA 2WD

The AS 915 Sherpa 2WD ride-on brushcutter offers an efficient mower capable of dealing with growth up to 1.2 m in height. Suitable for performing on moderate inclines thanks to its low weight and low centre of gravity and with a turning radius of just 65 cm provides agility even on difficult terrain.

Model	AS 915 SHERPA 2WD (G06900601)
Engine	22hp (Max) B & S 4-Stroke 2-Cylinder, Professional Series 7220, 656 cc
Wheel drive speed	2-wheel drive Hydrostat Variable, Forward: 0 – 10.5 km/h, Reverse: 0 – 8.2 km/h
Cutting width	90 cm
Cutting height adjustment	Central, 50–105 mm, 5 x
Work rate m ² /h	Max 9450
Weight	265 kg
Dimensions	L191 x W98 x H152 cm



AS 65 4T

The AS 65 is suitable for long grass and slope mowing. With a 5-speed manual transmission and a differential lock, traction, manoeuvrability and safety are guaranteed. The AS cross-blade system chops the grass reliably and produces an impressive mowing performance.

Model	AS 65 4T	(G06700008)
Engine	13hp (Max) B & S 4 - Stroke Series 3 INTEK, 344 ccm	
Wheel drive speed	Rear-Wheel drive 1.6-5.1 km/h, Reverse 2.4 km/h	
Cutting width	65 cm	
Cutting height adjustment	Central, 50-100 mm variable	
Work rate m ² /h	Max 3300	
Weight	125 kg	
Dimensions	L220 x W71 x H99 cm	

[SEE MORE](#)



AS 62 4T / AS 63 4T

The AS 62 and AS 63 Brushcutters both offer a high performance and easy handling solution to cutting high grass even on steep slopes or where access is limited. Low weight, vibration damping and handlebar adjustment makes these machines exceptionally user friendly and fold down handles ease transportation and storage.

Model	AS 62 4T B&S	(G60000202)
Engine	5.5hp (Max) B&S 4 - Stroke 850E-Series I/C, 190 ccm	
Wheel drive speed	Variomatic 1.8-3.8 km/h, Rear wheel drive	
Cutting width	61 cm	
Cutting height adjustment	Front variable, rear 4-position, 50-100 mm	
Work rate m ² /h	Max 2300	
Weight	67 kg	
Dimensions	L191 x W70 x H99 cm	



Folding handle bars

[SEE MORE](#)



Model	AS 63 4T B & S	(G60000104)
Engine	5.5hp (Max) B&S 4 - Stroke 850E-Series I/C, 190 ccm	
Wheel drive speed	Variomatic 1.8-3.8 km/h, Rear wheel drive	
Cutting width	61 cm	
Cutting height adjustment	Front variable, rear 4-position, 50-100 mm	
Work rate m ² /h	Max 2300	
Weight	74 kg	
Dimensions	L191 x W70 x H99 cm	

AS 30 WEEDHEX

The AS 30 WeedHex offers a highly efficient, chemical free solution for cleaning hard surfaces and for working against kerb stones. Fitted with a brush safety guard which offers protection for the operator. It is also highly effective at clearing compressed snow and ice.

Model	AS 30 - 160	(G07300110)
Engine	5.1hp (Max) 4 - Stroke B&S 175 ccm	
Operating width	35 cm	
Weight	40 kg	
Dimensions	L160 x W61 x H108 cm	

THREE BRUSH OPTIONS



Braid Brush



Steel Brush



Nylon Brush

SEE MORE



Effective clearance of compressed snow & ice



Effective weed removal

AS 30 E-WEEDHEX

Full power, low emission - The AS 30 E-WeedHex is powered by a lithium-ion battery that matches the performance of a conventional 4 - Stroke engine. It does the same job as the petrol model, just quieter, cleaner and with less vibration.

Model	AS 30 E-WeedHex	(G07300105)
Engine	B & S 82Li Series 82V Lithium Ion powerhead	
Operating width	35 cm	
Weight	36 kg (Excluding Battery)	
Dimensions	L157 x W61 x H108 cm	

THREE BRUSH OPTIONS



Braid Brush



Steel Brush



Nylon Brush

BATTERY
ELECTRIC
POWER



Quick and easy changing of the battery without tools

AS 600

The AS 600 is a versatile implement carrier which can be teamed with a flail mower, cutter bar or sweeping brush for cleaning paved areas and pathways.

The hydrostatic wheel drive allows infinitely variable speed adjustment forwards and backwards eliminating the need for a manual gear box.

Model	AS 600	(G90900101)
Engine Power	8.6hp (Max) 4 Stroke Engine	
Engine Model	Honda GX270	
Tank Capacity	5.3L	
Dimensions	L200 x W80 x H97 cm	



ATTACHMENTS



SWEEPING BRUSH

- 100cm wide / 40cm diameter brush
- Removes stubborn stains and sand / earth / moss / leaves
- Ideal for sweeping snow up to 12cm deep



CUTTER BARS

- 126cm wide ESM cutter bar with 4 - 12 cm cutting height. Cutter spacing 70/84, smooth.
- 117cm wide LOSI cutter bar with 4 - 12cm cutting height. Cutter spacing 85 / 42.5, toothed.



FLAIL MOWER

- 68cm wide with Y flails.
- 3 - 11cm cutting height
- Large safety flaps reliably prevent stone throwing.
- Lockable front wheels for working on slopes.



ELIET®

IN HARMONY WITH NATURE



MADE IN BELGIUM



Leading manufacturer of green waste and lawn & turf care machinery for over 30 years.

REASONS TO CHOOSE ELIET

- World-renowned innovative manufacturer
- Precision engineering
- Simple yet highly effective products for maximum performance

MEGA PROF

Like all other Eliet Shredders, the Mega Prof has the DNA of a real green waste shredder. Green waste consists of much more than just wood and depending on the season, pruning and trimming will generate a wide variety of different types of material. The towed Mega Prof is able to shred material up to 16 cm diameter and it's weight of <750kg allows for towing without a special driving license.

Model	Mega Prof	(MA 018 011 341)
Engine	33hp Kubota D1105 T	(Diesel engine)
Shreddable material diameter	16 cm	
Capacity (m3 chips/h)	10	
Blow Chute	280° rotatable chute	
Blades	24 x RESIST™/10	
Feed speed regulator	Anti-Block Motor	
Infeed opening	1000 x 650 mm	
Weight	748 kg	
Dimensions	L3500 x W1700 x H2250 mm	



SEE MORE



THE ABM (ANTI-BLOCK MANAGEMENT) SYSTEM

automatically controls material feed speed by monitoring the change in engine speed. If the engine speed drops, the ABM automatically temporarily stops the in-feed roller until the engine has come back to full speed.

SUPER PROF

The Super Prof is a highly efficient 4 Season Shredder for material up to 13 cm that is the envy of all. In the spring and autumn there is a lot of green waste to be processed and the abundance of wet material may clog up other shredders and in summer and winter the Super Prof deals with the high usage volume of shredding wood and shrubbery impeccably.



Model	Super Prof Hydro (MA 029 040 113)	Super Prof Cross Country (Tracked) (MA 029 050 113)	Super Prof Trailed (MA 029 070 113)
Engine	18 hp B&S Vanguard	18 hp B&S Vanguard	18 hp B&S Vanguard
Shreddable material diameter	13 cm	13 cm	13 cm
Capacity (m3 chips/h)	6	6	6
Chopping speed (cuts/min)	50,000	50,000	50,000
Blow Chute	300° folding rotatable chute with adjustable valve	300° folding rotatable chute with adjustable valve	300° folding rotatable chute with adjustable valve
Blades	24 x RESIST™/8	24 x RESIST™/8	24 x RESIST™/8
Feed speed regulator	Anti-Block Motor	Anti-Block Motor	Anti-Block Motor
Infeed opening	500 x 700 mm	500 x 700 mm	500 x 700 mm
Weight	437 kg	502 kg	495 kg
Dimensions	L2000 x W835 x H1450 mm	L2000 x W835 x H1450 mm	L2000 x W835 x H1450 mm

SEE MORE



Trailed



Cross-Country (Tracked)

PROF 6

**POWERFUL AND EFFICIENT
SHREDDING FOR GREEN
MATERIAL UP TO 10CM IN
DIAMETER**

SEE MORE



Whether you're looking for a standard wheeled model, a towed model, a PTO model or even a tracked model for accessing those hard to reach areas, the Prof 6 is the answer.

Model	Prof 6
Engine	14hp B&S Vanguard 400 ES
Shreddable material diameter	100 mm
Working performance /hr	4m ³ / 475kg
Chopping speed (cuts/min)	48,000
Blades	20 HS steel
Discharge Height	1800mm
Weight	1 - 361kg / 2 - 426 kg / 3 - 419kg / 4 - 475kg
Dimensions	L1780 x W810 x H1520 mm



1 PROF 6 WHEELED

Self-propelled on wheels



2 PROF 6 CROSS COUNTRY

On tracks



3 PROF 6 ON ROAD

Towed



4 PROF 6 PTO

On wheels



MAJOR 4S

This efficient shredder is compact and light-weight, allowing access through the smallest of gates. The wide in-feed opening offers greater ease of operation handling material of up to 55 mm.

Model	Major 4S - HIRE SPECIFICATION (MA 003 021 208)
Engine	9hp Honda GX270
Shreddable material diameter	55 mm
Output (wheelbarrows/h)	24
Chopping speed (cuts/min)	50,000
Blades	20 HS steel
Infeed opening	245 X 250 mm
Weight	135 kg
Dimensions	L1550 x W620 x H1270 mm

HIRE SPECIFICATION



SEE MORE



4 SEASON shredder™

MINOR 4S

The Eliet Minor 4S smoothly combines a wide hopper for various types of waste with compactness and ease of use. Above all, waste is processed in an extremely safe manner by the dedicated safety screen, steel safety shield and a heavy-duty debris flap.

Model	Minor GP200 (MA 002 011 231)	Minor GX200 (MA 002 011 206)
Engine	6hp Honda GP200	6.5hp Honda GX200
Shreddable material diameter	45 mm	45 mm
Output (wheelbarrows/h)	16	16
Chopping speed (cuts/min)	30,000	30,000
Blades	12 HS steel	12 HS steel
Infeed opening	190 x 250 mm	190 x 250 mm
Weight	92 kg	92 kg
Dimensions	L1510 x W490 x H1160 mm	L1510 x W490 x H1160 mm



SEE MORE



4 SEASON shredder™

MAESTRO CITY

The Eliet Maestro City green waste shredder offers an efficient, robust solution to shredding material up to 40 mm diameter. The Eliet chopping principle is a unique system that exploits the weakness of the wood by cutting with the grain rather than across it as per a conventional chipper.

Model	Maestro City - Hire Spec (MA 501 054 205)	Maestro City - Electric (MA 001 056 911)
Engine	5.5hp Honda GX160	2500w, 240 v - 10 m HD cable
Shreddable material diameter	40 mm	40 mm
Output (wheelbarrows/h)	12	12
Chopping speed (cuts/min)	36,000	36,000
Blades	RESIST™/6 (12 units)	RESIST™/6 (12 units)
Feed height	1050 mm	1050 mm
Collecting box capacity	60 L	60 L
Weight	63 kg	63 kg
Dimensions	L1280 x W650 x H1385 mm	L1280 x W650 x H1385 mm



Electric model - folds down for easy transport and storage



SEE MORE



HIRE SPECIFICATION

E550ZR

The E550ZR is a self-propelled scarifier with blades that rotate in the opposite direction of the drive roller, therefore giving even better performance whilst a constant travel speed is maintained. The permanently sharp blades ensure optimum gripping power and the ground drive ensures a constant travel speed regardless of terrain.

Model	E550ZR DCB (MA 035 010 206)
Engine	6.5hp Honda GX200
Operating width	550 mm
Blades (no/thickness)	66 Double Cut Permanently Sharp Blades (100 hrs)
Depth adjuster	Continuously variable
Weight	93 kg
Dimensions	L1230 x W730 x H1050 mm



PERMANENTLY SHARP BLADES



C550ZR COLLECTOR

The C550 Collector is a self-propelled scarifier that collects the debris into narrow rows offering up to a 50% time-saving compared to conventional scarifiers. The double-cut Permanently Sharp Blades are self-sharpening and never lose performance.

Model	C550ZR DCB (MA 008 140 206)
Engine	6.5hp Honda GX200
Operating width	550 mm
Blades (no/thickness)	66 Double Cut Permanently Sharp Blades (100 hrs)
Depth adjuster	Continuously variable
Weight	93 kg
Dimensions	L1230 x W730 x H1050 mm



PERMANENTLY SHARP BLADES



Debris is collected into narrow rows leading to a 50% time saving on clean-up



SEE MORE



E501

The needs of the professional user are taken into account in every last detail with the E501. Its powerful professional engines, continuously variable self-locking height adjustment, Permanently Sharp Blades™ and large wheels with twin ball bearings ensure it will always perform with maximum efficiency.

Model	E501 FB	(MA 008 020 231)
Engine	6.5hp Honda GP200	
Operating width	500 mm	
Blades (no/thickness)	18 x 3 Permanently Sharp Blades (100 hrs)	
Depth adjuster	Quick & easy depth adjustment	
Weight	63 kg	
Dimensions	L1200 x W740 x H1000 mm	

PERMANENTLY SHARP BLADES™



E450

The Eliet E450 lawn scarifier has a 450 mm working width. Powered by a reliable Honda engine, the Eliet E450 is a professional machine ideally suited to medium-sized gardens. With its robust design and armed with a set of patented fixed Permanently Sharp Blades™, this scarifier offers a highly efficient solution for thatch removal.

Model	E450	(MA 025 010 205)
Engine	5.5hp Honda GX160	
Operating width	450 mm	
Blades (no/thickness)	Fixed 16 /2.5mm Permanently Sharp Blades (100 hrs)	
Depth adjuster	Quick & easy depth adjustment	
Weight	51 kg	
Dimensions	L1100 x W600 x H1050 mm	

PERMANENTLY SHARP BLADES™



E401

The rugged construction of the E401 scarifier makes it almost indestructible. Complete with a 400 mm working width and folding handles for reduced storage space, the Eliet E401 is a highly effective scarifier that is ideal for small to medium sized areas of renovation.

Model	E401	(MA 007 010 230)	E401 Electric	(MA 007 053 903)
Engine	5hp Honda GP160		3hp 2100 watt	
Operating width	400 mm		400 mm	
Blades (no/thickness)	Fixed 14 /2.5mm Permanently Sharp Blades (100 hrs)		Fixed 14 /2.5mm Permanently Sharp Blades (100 hrs)	
Depth adjuster	Quick & easy depth adjustment		Quick & easy depth adjustment	
Collecting capacity (std)	60 litre		60 litre	
Weight	40 kg		40 kg	
Dimensions	L960 x W550 x H940 mm		L960 x W550 x H940 mm	

SEE MORE



PERMANENTLY SHARP BLADES™



"I can honestly say Eliet Scarifiers are amazing - robust and very simple and easy to use, I highly recommend them".
(B Smith - Lawn Care Contractor)

TURF AWAY 600

For major lawn renovation that requires complete reconstruction it is essential to remove the old turf. By removing a thin top layer, you can not only remove damaged grass, but also any overgrowth of weeds, moss and other parasites that have settled into the lawn over the years.

The ELIET Turfaway 600's unique concept allows you to quickly loosen a thin turf layer with precision. The unique construction of this turf cutter on tracks ensures a stable machine with optimum traction, which ensures maximum comfort for the operator. The ELIET Turfaway has a time-saving operating width of 60 cm with an optional centre blade creating 2 x 30 cm strips.

Model	Turf Away 600 (MA 031 010 206)
Working width	600 mm
Width of tracks	100 mm
Steering	Joystick
Driving speed	-4km/u<0>+4km/u
Noise capacity Lw(A)	95db(A)
Weight	195 kg
Dimensions	L1450 x W620 x H990 mm



GZC 750 SEEDER

The GZC 750 with its 72 cm working width is a compact, autonomous self-propelled machine that is a trustworthy partner in the sowing of turf where you are dealing with narrow gates, complex shapes, hedges, kerbs and other obstacles. Thanks to optimal manoeuvrability and an eye for user comfort, this is the ideal partner for every garden professional who wishes to excel in the construction of a perfect lawn.



Model	GZC 750 (MA 016 011 206)
Engine	6.5hp Honda GX200 (Hydrostatic drive)
Operating width	720 mm
Hopper volume	61 litres
Harrow (no. of teeth)	13
Weight	385 kg
Dimensions	L1990 x W820 x H1140 mm



Laying turf - The GZC is also convenient for preparing sites where lawn is to be laid with turf.

SEE MORE



DZC 450

INNOVATIVE OVERSEEDING TECHNOLOGY



1. Cutting open the soil

The cutting blades at the front of the machine cut open 10 (0.4") to 15 mm (0.6") deep grooves in the soil of the lawn in preparation for the grass seed.

2. Removal of excess soil

The blades rotate over the top and cast the soil in an arch to the rear of the machine so that it does not fall into the newly cut grooves.

3. Precision sowing

A clever and compact seed distribution system, Helix Seed Duct™, carries the seed under the projected excess soil into small funnels leading to discharge channels precisely located above the clean grooves.

4. Injection

A low air pressure fan blows air through the seed funnels so the seed is blown while it is being distributed. This helps the seed to settle faster and with more precision in the grooves.

5. Rollers

The powered rubber roller immediately follows the seed distribution process and ensures that there is good contact between the soil and the seeds by pressing the earth down.

6. Covering the seed

The flow of projected excess earth falls just behind the roller on the sown area. The earth covers the seedbed and provides a protective layer for the seed, increasing the chances of germination and growth.

OVERSEEDING: THE REJUVENATING CURE FOR LAWNS!

With the Eliet overseeder, you can renovate a tired and thin lawn in no time at all by adding new grass. This inexpensive alternative can, moreover, take place quickly and guarantees a visible result in less than a month. The lawn will be available for normal use immediately after overseeding which is extremely beneficial to many users including sports fields.



Before

After

Model	DZC 450	(MA 033 010 206)
Engine	6.5hp Honda GX200	
Operating width	450 mm	
Blades (no/thickness)	45 Permanently Sharp Blades	
Depth adjuster	Manual	
Weight	125 kg	
Dimensions	L1430 x W650 x H950 mm	



**MANUFACTURING
PREMIUM QUALITY
SINCE 1896**



MADE IN GERMANY

Köppel offer innovative compact implement carriers and attachments that make light work of any landscaping task.

REASONS TO CHOOSE KÖPPEL

- Large range of multi-attachments
- Cutting edge innovations
- High quality & high performance products
- Specialists on mowing slopes

COMPACT COMFORT

A truly versatile professional machine to suit almost any mowing requirement. With a low centre of gravity and compact design, the Compact Comfort is capable of mowing on steep slopes


KEY FEATURES:

- Twist grip drive controls
- Independent hydraulic wheel drive
- Fixed or reversible handlebars
- Counterbalance safety wheel valves
- Anti-vibration handlebars
- Quick attach implement system

[SEE MORE](#)



Model	CC-14
Engine	14hp Twin B&S Power Unit



ATTACHMENTS

There is an extensive range of efficient attachments suitable for most landscaping applications including:



Sweeping Brush



Weed Brush



Snow Plough



Snow Blower



Rotavator



Stone Burier



Stone Rake



Brushcutter



Rotary Mower



Flail Mower

MADE IN GERMANY

GREEN/SERIES

A range of all-purpose and efficient shredders. Branches, shrubs, hedges and green material no longer constitute waste, thanks to the patented mixed rotor that combines blades and hammers achieving great results.

- Six-fold reduction in volume
- Compared with a simple rotor with hammers, the additional blades achieve great results
- The additional hammers are used to shred the green material, thereby ensuring longer lasting blades
- Versatile machines for arborists, landscape gardeners and groundwork professionals



REASONS TO CHOOSE TS INDUSTRIE

- Leading innovative European manufacturer
- Machines built from technical expertise
- All purpose & efficient chipper-shredders



SEE MORE



GS/PUMA 35D

The TS Industrie GS/PUMA 35D is the ultimate chipper-shredder and offers a highly efficient green waste solution for green waste material with a diameter of up to 16 cm. Key features include a power mixed rotor, clever pilot system and a 180° adjustable discharge chute.



Model	GS/PUMA35D
Engine	35hp Kubota V1505 4-cyl diesel
Shreddable material diameter	16 cm
Capacity (m ³ /h)	27
Hammers & blades	12 hammers + 6 blades
Adjustable discharge chute	180°
Weight	1330 kg
Dimensions	L4370 x W1690 x H2360 mm



PSD Groundscare
Regent Yard, Regent Street,
Whitewalls Industrial Estate, Colne,
Lancashire, BB8 8LJ

Hotline: 01282 856 819
Email: sales@psdgroundscare.com
Web: www.psdgroundscare.co.uk



“
**PROFESSIONAL
LANDSCAPING
EQUIPMENT**”

Every effort has been made to ensure the contents of this catalogue are accurate and correct at the time of going to press. We reserve the right to change or modify any specification without notice. All rights reserved, E & OE.