

CATALOGUE 2024



ALL-ROUNDER FOR YOUR GARDEN

Uncompromising brand quality has a long tradition at SABO. For more than 90 years, sophisticated engineering is combined with superior materials and functional design in Gummersbach, Germany.

This has resulted in thoroughly reliable tools that make working in and around your garden as efficient and enjoyable as possible. And it is precisely this expertise that we - together with our SABO specialist retail partners - want to convince you of, both today and in the future.

In 2024, we are once again offering a wide range of advanced technologies and features. On the following pages, you will find our current range of products, from the powerful petrol models to the convenient battery system and the multi-functional lawn tractors - with practice-oriented advice and valuable tips for successful lawn care. We also take a closer look at our new products for professional and municipal garden and landscape maintenanceAt the back of the catalogue you will find a complete overview of our product range. You will also find a comparison of the relevant technical data.

We invite you to discover the full SABO range!









Index		l echnical specifications	
History of our company	4	Battery lawn mowers	22
Find the right mower for you	6	Battery garden tools	24
Brand values	8	Petrol lawn mowers	26
SABO battery system	10	Lawn tractors	30
Lawn mowers	12	Scarifiers	31
Scarifier	14	Commercial petrol lawn mowers	32
Lawn tractors	16	Commercial battery mowers	34
Commercial petrol lawn mowers	18		
Commercial battery system	20		

New for the 2024 season



MADE FOR PROFESSIONALS: SABO E-POWER

More on page 22

Get to know the environmentally friendly, robust and powerful commercial battery-powered machines from SABO. Be it a mower with side discharge or a scarifier - all models are powered by the efficient 56 V EGO battery technology and easilyhandle the rigours of commercial gardening and landscaping.

NO GREEN Thumb required

We are unveiling a new visual identity era: From 2024, our commercial products will also wear the striking and dynamic SABO red - even with a new makeover, our pledge of unparalleled quality and performance remains unwavering. Discover this new appearance, whilst relying on the same excellent performance and proven quality for which we have been renowned for decades.



HOW WE GOT TO WHERE WE STAND



1932

In its early days, SABO was solely a distributor of oils and greases for the automotive industry. While Walter Born left the company just a year later, Heinrich Sanner established the second pillar of his business: the technical innovations department - with the constant objective of providing his customers with the highest possible quality of service. SABO also manufactured grease fittings for aeroplanes, traded in hand-washing detergents and managed a special graphite business. Sanner spent the early years exploring new areas of operation - until his first encounter with the gardening market.

SABO - from an ambitious founder to a thriving corporate ethos.

2024 SABO's product range has expanded considerably in the 90 years since the company was founded. In addition to petrol and battery-powered lawnmowers, it now includes scarifiers, mulchers, lawn tractors and machines for municipal use. Battery-powered garden tools such as brush cutters, leaf blowers and hedge trimmers are also part of the portfolio. The one thing that has not changed to this day - and which will never change - is the extremely high quality standard of SABO: to always give the best in all aspects. This is the living legacy of the founders Heinrich Sanner and Walter Born and the reason why the SABO brand today stands for the highest quality and reliability among hobby and professional gardeners.

2007 At SABO, the user has always been at the centre of everything we do. To continuously improve the working experience, SABO introduced the Anti-Vibration System for professional lawnmowers in 2007. The system significantly reduces oscillations at the wrist. As a result, the user can work safely and comfortably throughout the whole day.

2017 No power cord, no petrol, no local emissions. SABO is bringing a new category of gardening tools onto the market with state-of-the-art battery technology – for both the professional and the amateur gardener. From lawnmowers and brushcutters to hedge trimmers and leaf blowers, powerful lithium-ion batteries allow convenient use anywhere.

1952

The war has come to an end. Sanner noticed that a lot of the hedges throughout Germany had been left to grow for a long time. He was on the lookout for a way in which the time-consuming and tedious task of hedge pruning might be made easier for the average person. And so, in 1952, the overgrown hedges prompted him to develop the electric hedge trimmer. The company's founder quickly realised the opportunities in this market - and just like the hedges, the idea quickly grew bigger and bigger.

HOW IT ALL STARTED.

It all began shortly after the Great Depression in 1932: Times were bad. Despite this, Heinrich Sanner and his partner Walter Born were optimistic when they founded the company SABO Central Distribution for Petroleum Products and Technical Innovations. Good to know: SABO is an acronym - SA for Sanner, BO for Born. And thus SABO was founded.



1954

Heinrich Sanner was determined to develop further solutions. His aim was to simplify people's work in parks and gardens. And with great success: In 1954, SABO developed its first motorised lawnmower for professional use. This was a pioneering step. Sanner has always strived to achieve the best in everything created. Thanks to the economic upswing in Germany, motorised lawn mowers were also becoming increasingly popular with amateur gardeners.

SABO recognised that the greatest opportunities for growth lay in the motorised lawnmower sector as well as in the fittings sector. Sanner began to systematically market both sectors.

1965

It was in 1965 that SABO developed the world's first fully hydraulic lawn mower for professional use. For the user, this meant even less work, less wear and tear, more maintenance-friendly operation and, as a result, greater economic efficiency. In 1969, the two company divisions, lawn mowers

and fittings, were separated. Both divisions developed independently. The development and production of lawn mowers remained in Gummersbach. The fittings division moved to Wiehl.

1981

At the beginning of the 1980s, SABO expanded its product range with the



addition of scarifiers.
Since then, SABO scarifiers have been characterised by quality, durability and performance. Features that SABO's lawn-mowers were already known for.

1978

Once again, it is the spirit of invention that catapults SABO forward at the end of the 1970s: in 1978, the brand launches the patented TurboStar System™. Thanks to this innovative concept, even damp grass could now be cut to perfection and be collected in its entirety in the grass catcher bag. Turbo also meant an enormous economic acceleration. SABO took the



decisive growth step and became market leader in the lawnmower sector at the beginning of the 1980s.

THE SEARCH FOR THE PERFECT LAWN MOWER

5 TIPS TO HELP YOU CHOOSE THE RIGHT ONE

How to recognise a great lawnmower and choose the one that suits you best.

If you own a garden with a lawn, a lawn mower is a vital part of your equipment. But just what kind of lawn mower do you really need? And which features should it offer? Here are five tips to help you find the right lawn mower for you.



POWER AND SIZE

Battery mower, petrol mower or lawn tractor?

The choice of which machine is best or you depends not least on the size of the area to be mowed and therefore on the cutting width of the machine. Our battery-powered lawn mowers are compact and lightweight, and are recommended for small to medium sized lawns. Petrol mowers are ideal for areas of up to 5,000 m² in size. If you have a plot of land larger than that, consider the comfort of working from the seat of a lawn tractor.

LAWN MOWING

Do you have a small or large lawn? Are you a hobbyist or a professional? Makes no difference! In our range of SABO lawn mowers, you will find just the right machine to meet all your needs. From 36 to 54 cm cutting width, there are plenty of possibilities. You can choose between petrol or battery-powered operation. It is only when it comes to quality that there is no choice, because all of our lawn mowers are thoroughly tested as standard. To put it simply: What leaves our factory is solid and durable.





2. BRAND NAME QUALITY

Who wants to have to buy a new lawn mower every couple of years? That's why quality is essential when making your choice. The blades need to be robust, the drive and transmission need to be designed for decades of use. Just like SABO lawnmowers, which undergo numerous endurance trials and test procedures to ensure that these requirements get met.



Before buying a lawnmower, make sure that spare parts are available and check where you can get them. Avoid cheap "pirate" products - their use can prove to be costly. IncidentallySABO spare parts are frequently available on the market for many years even after a model has been discontinued.



5. SERVICE AND SUPPORT

The best place to buy your lawn mower is from a specialist dealership. An expert will be able to give you the best possible advice and explain the features and benefits of each machine in detail. Thats why SABO lawnmowers are traditionally sold through trained and authorised dealerships.




Whether it is battery or petrol powered:**You**want to be able to rely on your new lawn mower
for a long time. Therefore, it is a good idea to
familiarise yourself with the details of the warranty
conditions before purchase. SABO offers a guarantee
of 15 years on the aluminium chassis of its lawn mowers **.


SCARIFYING

Regular "wellness" treatments are essential for a healthy and uniform lawn. It all starts before you mow - by scarifying. SABO scarifiers use their blades to aerate the ground to a depth of just a few millimetres, pulling up any dead vegetation and, if necessary, collect it in a bag (available as an accessory). Needless to say, you can also rely on the well-known SABO quality and durability with our scarifiers.

CONVENIENT GARDEN MAINTENANCE

Do you have a big lawn to deal with? No worries! Our SABO 93-H, 103-H and 110-S lawn tractors can handle any job, no matter how big, and are a pleasure to use. Powerful and durable 4-stroke engines with continuously variable hydrostatic transmission develop plenty of power for many applications, such as sweeping or snow clearing. Accessories such as plough blades, sweepers and mulching wedges make SABO lawn tractors real all-rounders.








THE DAY THE LAWN MOWER LEARNT TO FLY.

At SABO, we like to tell the anecdote of company founder Heinrich Sanner on the subject of quality control: Sanner simply tossed the lawnmowers out of the window. They were then examined to see whether they were still in good working condition. True to the motto: We don't build toys, we build professional equipment. But how do you maintain your reputation as a manufacturer of high-quality, reliable garden tools over many decades? Can quality be "commanded"? Or does it come from a tradition that is both lived and cultivated?




NOTHING IS GOOD UNTIL IT HAS BEEN WELL TESTED

Nowadays, SABO equipment does not fly out of the window. And yet it is a long and difficult road from the first sketch to the first use on the lawn. Before the individual components are put together in production, we check that they meet our strict quality requirements. The individual components are then assembled in our workshop in Gummersbach, close to Cologne, Germany. Numerous quality tests and inspections follow. In this way, we make sure at every stage of the development process that the mowers really do meet our requirements.

LAWN MOWER TESTING

Every new prototype of a SABO lawn mower has to undergo an ordeal before it goes into mass production. In an impact test, for example, the mechanical strength of the blade is tested using a steel tube and rod. The vibration, drive and gearbox tests simulate the stresses and strains of everyday use. The blade testing checks the structural strength of the blades. Only after one million load cycles is the blade approved for serial production. In the ball impact test, hardened steel balls are shot into the running blade and chassis, providing information on structural strength and shielding. In addition, our experts put the products through their paces under the toughest conditions in the open field test. All this is the hallmark of a SABO product and is the guarantee of our renowned high quality over a lengthy time period.





COLLABORATION IS KEY

The SABO brand is not only characterised by strict quality standards, but above all by a strong community of motivated people. The principle of production at SABO follows its own set of rules. Quality is not dictated here, but deliberately developed, making it the goal of every single employee. Everyone involved is called upon to get involved. This means taking responsibility and getting involved beyond their own workplace and department. Every day, all employees at SABO make sure that quality is not an exception, but the rule.

COMMUNITY SPIRIT

One of the most important advantages at SABO is the close proximity of sales, development and production at the company's premises in Gummersbach. The routes are short, people know each other and talk face to face. In this way, colleagues become partners in the workplace – and everyone becomes a part of the SABO team. This exceptional feeling of community begins at SABO itself and extends through all departments all the way to our retail partners and customers.

We live and consciously cultivate this sense of community, even beyond the factory gates. It is the cornerstone of a vivid corporate culture and products that meet the highest quality and durability expectations. The experience of more than six decades is built into every SABO mower as standard, which you as a customer can see and feel at first glance. Our SABO machines offer the highest level of safety, performance and reliability. Everything that you would expect from a good partner.

SABO BATTERY POWER FOR YOUR GARDEN.

With the SABO battery system you are perfectly equipped for all gardening tasks: The powerful 40 volt lithium-ion battery is compatible with all products in the system and enables efficient and low-noise operation on the lawn and in the garden.







The heart of the SABO battery system is the powerful and reliable 40 volt lithium-ion battery. It can be easily removed and inserted for charging.



Equipped with **double-sided sharpened blades**.

The multi-function handle can be adjusted to three positions for ergonomic working, and the robust magnesium die-cast body ensures high stability.



Brush cutter MS-36

Whether you are dealing with thick grass or undergrowth, our battery-powered brushcutters are the right tools for the

job. The MS-36 can be used with either a spool or a high-grade blade and is delivered in a convenient package that **includes a blade**, **spool and shoulder strap**.






The SABO battery system includes a total of seven lawn mowers, with and or without drive.

This includes the 47-ACCU VARIO with a dual battery slot.

The SABO TurboStar System TM ensures optimum cutting performance, even when the grass is damp.


Our robust aluminium chassis, with a 15-year guarantee*, is extremely durable and the variable rear-wheel drive makes it easy to work on slopes.





LAWN MOWERS

Novice, hobbyist or professional? Small, medium or large lawn areas? It doesn't matter. Our range of SABO lawnmowers has just the right machine for every need.




TURBOSTAR™-SYSTEM

Most of our mowers are equipped with SABO's patented TurboStar™ system, which ensures that the grass is raised before it is cut and is effectively transported into the collection bag - even if it is damp.

ALUMINIUM CHASSIS

Many of our SABO mowers are equipped with a high-quality aluminium chassis. This makes them lightweight and extremely robust - and includes a 15-year warranty*.





REAR WHEEL DRIVE OPTION

Do you mow on rough or challenging terrain? No worries: the optional rear-wheel drive ensures that your SABO and your mowing project progress safely. On many models, this can be variably adjusted to the walking speed.

HIGH PERFORMANCE BLADE

The single-piece blade is made from the highest quality spring steel and is manufactured in accordance with the most stringent production and safety guidelines.



SCARIFIERS

Scarifying loosens the lawn soil to create space for new grass growth and to ensure the grass roots receive sufficient amounts of air, water and nutrients. This enables fresh, healthy and dense new grass to grow back.






YOUR CHOICE

Petrol or battery? For private or professional continuous operation? When it comes to SABO, you have the choice - but when it comes to quality, you can only get the best.

RAZOR-SHARP BLADES

SABO scarifiers dethatch the ground to a precision of millimetres with their blades made of high-quality spring steel. Thanks to the continuously variable depth adjustment, you can precisely calibrate SABO scarifiers to the requirements of your lawn.





LET THE RESULTS SPEAK FOR THEMSELVES

Remove grass clippings, dead leaves, moss and weeds from your lawn smoothly and organically.



SABO scarifiers pull up dead grass and transport it into the collection bag which is available as an optional accessory.





LAWN TRACTORS

Discover the effortless efficiency of the SABO lawn tractors for your large-scale lawn areas. Equipped with powerful 2-cylinder engines, impressive performance and hydrostatic drive, they are designed to tackle even the most demanding jobs.



EASY COLLECTION **BOX EMPTYING**

TRAILER HITCH

The series standard trailer hitch enables the use of a wide range of useful attachments.

Drive: petrol

95 - 110 cm cutting width

For areas up to 10,000 m²

Rear and side discharge

Extremely sturdy frame

Turf-friendly tyres

Acoustic fill level indicator



2-CYLINDER | SMALL ENGINE TURNING-CIRCLE

EASY COLLECTION BOX EMPTYING

CONVENIENCE FOR LARGE LAWNS AND GARDENS

Our powerful models deliver uncompromising cutting performance and convenient control from the driver's seat. Not only does this save you effort and energy, it also makes the job of mowing larger lawns effortless.

TRUE MULTI-TALENTS

The SABO lawn tractors can be adapted for use in winter. Making snow removal fun! Or you can use the practical sweeper attachment to quickly and effectively clean up around your property.



Snow plough

For winter operation of your SABO lawn tractor

Tielbürger TS125

Turn your lawn tractor into a powerful clearing vehicle with the TS125 snow plough. The included rubber edge is designed to protect the floor.



Sweeper attachment

120 cm working width, including debris container

Tielbürger TK520

With the TK520 mounted sweeper, property maintenance is done in no time. Available with numerous useful accessories for every application.





LED HEADLIGHTS

Powerful LED headlights provide optimum visibility even when working in the dark.


STURDY BUMPER BAR

For increased durability and shock absorption.

EXTRA-WIDE TYRES

Effective lawn protection with extra wide tyres.

MOWING DECK EASY TO REMOVE








PRO MODELS

Powerful and resilient. With powerful engines and lots of features. For large lawns and plots. For decades many municipal and commercial users have relied on our on our reliable, robust technology.

FLEXIBLE CUTTING HEIGHT ADJUSTMENT

Steel wheels provide impressive traction and durability. The individually adjustable cutting height of our professionals allows you to switch between cutting heights with ease.





ANTI-VIBRATION SYSTEM

Reduces vibrations on the handlebar, allowing the mower to be operated throughout the working day without compromising comfort or safety. Available on most professional models.

ROBUST TRANSMISSION

The professional transmission on our mowers provides torque output independent of shifting force, ensuring high performance and a long service life.





PRO ALUMINIUM CHASSIS

The aluminium chassis is extremely robust and designed for continuous use in the harshest conditions. Additional steel reinforcements on the inside and outside further increase durability.

SABO E-POWER: PRO BATTERY SYSTEM.

The professional battery-powered machines from SABO are the best companions you can get for effective and efficient operation. They offer powerful performance, flexibility and reliability to achieve outstanding results with any task thanks to their modern 56 V battery drive from EGO. In addition, all SABO battery powered pro machines are weather resistant. No matter what the weather, they are ready for use all year round.





WEATHER? IS OF NO CONCERN!

EGO's advanced battery technology is ready for all weather conditions. Whether wind, rain, cold or high summer temperatures - the sealed cells of the 56V lithium-ion battery withstand the rain effectively.





PROFESSIONAL PRODUCT RANGE

All terrains are different. Each job requires a specific tool. SABO has the right pro machine to meet the requirements of every professional. Whether rear catcher, side discharge or mulcher. You have the choice. We have the SABO.

FOR PRECISE GROUND CONTROL

With the 45-PRO E V, you can bring new life to any lawn. With a ball-bearing mounted blade shaft, 19 high quality verticutter blades, a robust aluminium chassis and continuously adjustable work depth, you are up to any task.

	36-ACCU	40-ACCU	40-ACCU	43-ACCU	43-ACCU	45-ACCU	47-ACCU
		CLASSIC	I	I	VARIO	CLASSIC	VARIO
Cutting width	36 cm	40 cm	40 cm	43 cm	43 cm	45 cm	47 cm
For areas up to **	250 m²	450 m²	500 m²	600 m²	500 m²	650 m²	700 m²
Engine model	Single battery-slot	Single battery-slot	Single battery-slot	Single battery-slot	Dual battery-slot	Single battery-slot	Dual battery-slot
Recommended configuration	1x 4 Ah 40 V Li-Ion battery & charger	1x 4 Ah 40 V Li-lon battery & charger	1x 5 Ah 40 V Li-lon battery & charger	2x 4 Ah 40 V Li-lon battery & charger	2x 4 Ah 40 V Li-lon battery & rapid charger	1x 5 Ah 40 V Li-lon battery & charger	2x 5 Ah 40 V Li-lon battery & rapid charger
Runtime **	~ 34 min	~ 30 min	~ 38 min	~ 40 min	~ 30 min	~ 30 min	~ 34 min
Starter & Handling	Click & Go	Click & Go	Click & Go	Click & Go	Click & Go Soft-Grip	Click & Go	Click & Go Soft-Grip
Drive system	Push	Push	Push	Push	Variable speed 2,0-4,0 km/h	Push	Variable speed 2,0-4,0 km/h
Cutting height adjustment	Central 6-fold 2,0-7,0 cm	Central 5-fold 2,5-8,0 cm	Central 6-fold 2,4-7,5 cm	Central 7-fold 2,2-8,0 cm	Central 8-fold 2,5-8,0 cm	Central 5-fold 2,5-8,0 cm	Central 8-fold 2,5-8,0 cm
Mower chassis material	Aluminium 15 years warranty ¹⁾	Steel 2 years warranty ¹⁾	ABS plastic 10 years warranty ¹⁾	Aluminium 15 years warranty ¹⁾	Aluminium 15 years warranty ¹⁾	Steel 2 years warranty ¹⁾	Aluminium 15 years warranty ¹⁾
Collector bag capacity	431	40 I	441	45	45 I	60 I	45
SABO Turbostar™-System	•	-	•	•	•	-	•
Mulching	-	-	o BSA648	o BSA649	o BSA643	Mulching kit included	o BSA644
Height-adjustable handlebar	3-fold	3-fold	3-fold	3-fold	3-fold	3-fold	3-fold
Transportation & stowing	Foldable handle & carrying handle	Foldable handle	Foldable handle & carrying handle	Foldable handle & carrying handle	Foldable handle with quick release & carrying handle	Foldable handle	Foldable handle with quick release & carrying handle
Wheel bearing front/rear	Ball bearing	Ball bearing	Ball bearing	Ball bearing	Ball bearing	Ball bearing	Ball bearing
Weight	20,5 kg	20 kg	19 kg	22,5 kg	31 kg	23 kg	33 kg
Article no.	SA1780	SA401023	SA1781	SA1782	SA521022	SA401523	SA521522

ullet as standard \circ Optionally available $^{-1}$ Conditions valid for personal use only, the SABO warranty terms apply.

^{**} With recommended battery configuration, may vary depending on mowing habits, grass condition and cutting height

Battery mowers





The powerful and reliable 40 volt lithium-ion battery is the heart of the SABO battery system. Easy to insert and remove for recharging.











The SABO battery-powered lawn mowers with variable drive speed can be easily adjusted to the preferred speed from the control panel - at the touch of a button. The battery indicator is always clearly visible.

47-ACCU VARIO



Information on the battery-powered scarifier on page 39

Optionally available

Mulching kit 40-ACCU
Mulching kit 43-ACCU VARIO
Mulching kit 43-ACCU VARIO
Mulching kit 47-ACCU VARIO
Charger
Rapid charger
Battery 40 V 4 Ah
Battery 40 V 5 Ah

Article no.
BSA648
BSA649
BSA643
BSA644


SAA11781 SAA16509 SAA12800 SAA12774

	MS- Battery br			ST-30 Battery brush cutter
	String	Blade	Engine	DC motor
Engine	Brushless	DC motor	Idle speed	7500 ± 10 % rpm
Idle speed	6300 ± 10 % rpm	6800 ± 10 % rpm		
Cutter head	String feed Ø 2,0mm	Blade	Cutter head	String feed Ø 1,65 mm
Cutting path diameter	356 mm / 406 mm	254 mm	Cutting path diameter	305 mm
Handle	Two-han	ded grip	Handle	Round grip
Includes	Shoulder strap, str	ring spool & blade	String feed	Automatic
String feed	Semi-au	itomatic	Weight w/o battery	4,2 kg
Weight w/o battery	4,5	kg	weight w/o battery	7,∠ Ng
Article no.	SA56	51121	Article no.	SA561022
	CS-: Battery cl			HC-66 Battery hedge trimmer
Engine	Brushless I	DC motor	Engine	Brushless DC motor
Chain speed	20 m	n/s	Idle speed	4000 ± 10 % rpm
Chain stop time	< 0,2	2 s	Blades	Double-sided edge finish
Chain oil volume	180	ml	Cutter spacing	30 mm
Sword length	25 cm & 35 c	m included	Handle	Adjustable in 3 positions
Chain model 25 cm / 35 cm	Oregon 91PJ040X	Oregon 90PX052X	Cutting length	660 mm
Drive link width / division 25 cm / 35 cm	1,3 mm - 3/8"	1,1 mm - 3/8"	Features	Magnesium casing & guide protection
Weight w/o battery	3,81	kg	Weight w/o battery	3,5 kg
Article no.	SA56	1521	Article no.	SA560121
	LB-: Battery le			LB-660 Battery leaf blower
Engine	Brushless	DC motor	Engine	DC motor
Max. air speed	2091	km/h	Max. air speed	177 km/h
Max. air volume flow rate	934 1	m ³ /h	Max. air volume flow rate	663 m³/h
Speed control	Variable & lockable	(with turbo switch)	Speed control	Variable & lockable
Weight w/o battery	2,15	ī kg	Weight w/o battery	1,9 kg
Article no.	SA56	50621	Article no.	SA560520
Protective goggles - Clear	CAL	E10000	Protective goggles - Overglasses	SAE10003
Protective goggles - Reflective		E10001	Lawnmower cover	SAE10003
Protective goggles - Tinted		E10002	SABO Multi-Clean Kit	SAE10342

Battery garden tools


























	40- CLASSIC	43- COMPACT	43-A Economy	43- VARIO	45-A CLASSIC	47- VARIO	47- VARIO E
Cutting width	40 cm	43 cm	43 cm	43 cm	45 cm	47 cm	47 cm
For areas up to	700 m²	800 m²	1.000 m²	1.000 m ²	1.200 m ²	1.500 m ²	1.500 m ²
Engine Net power kW Engine speed in rpm	4-stroke-0HV 2,1 2800	4-stroke-OHV 2,7 2800	4-stroke-OHV 2,6 2800	4-stroke-OHV 2,6 2800	4-stroke-OHV 2,7 2800	4-stroke-OHV 3,4 2800	4-stroke-0HV 3,4 2800
Starter & Handling	Starter rope	Starter rope	Starter rope Soft-Grip	Starter rope Soft-Grip	Starter rope	Starter rope Soft-Grip	Electric start + starter rope Soft-Grip
Drive system	Push	Push	Single speed 3,6 km/h	Variable speed 2,5-4,3 km/h	Single speed 2,9 km/h	Variable speed 2,7-4,3 km/h	Variable speed 2,7-4,3 km/h
Cutting height adjustment	Central 5-fold 2,5-8,0 cm	Central 7-fold 2,2-8,0 cm	Central 8-fold 2,5-8,0 cm	Central 8-fold 2,5-8,0 cm	Central 5-fold 2,5-8,0 cm	Central 8-fold 2,5-8,0 cm	Central 8-fold 2,5-8,0 cm
Mower chassis material	Steel 2 years warranty ¹⁾	Aluminium 15 years warranty ¹⁾	Aluminium 15 years warranty ¹⁾	Aluminium 15 years warranty ¹⁾	Steel 2 years warranty ¹⁾	Aluminium 15 years warranty ¹⁾	Aluminium 15 years warranty ¹⁾
Collector bag capacity	40 I	451	65 I	65 I	60 I	65 I	651
SAB0 Turbostar™-System	-	•	•	•	-	•	•
Mulching	-	o SA571	o BSA632	o BSA632	Mulching kit included	○ BSA625	o BSA625
Height-adjustable handlebar	3-fold	3-fold	3-fold	3-fold	3-fold	3-fold	3-fold
Transportation & stowing	Foldable handle	Foldable handle & carrying handle	Foldable handle with quick release & carrying handle	Foldable handle with quick release & carrying handle	Foldable handle	Foldable handle with quick release & carrying handle	Foldable handle with quick release & carrying handle
Wheel bearing front/rear	Ball bearing	Ball bearing	Ball bearing	Ball bearing	Ball bearing	Ball bearing	Ball bearing
Weight	24 kg	27,5 kg	35 kg	36,5 kg	30,5 kg	38,5 kg	41 kg
Article no.	SA101023	SA206323	SA211020	SA221019	SA111523	SA226521	SA226621

[•] as standard o Optionally available Ocnditions valid for personal use only, the SABO warranty terms apply.

Petrol mowers














Mowing on an incline?
No worries: you can drive your
SABO safely and easily with the
engageable rear-wheel drive.









With the electric instant start, you can easily start your SABO lawnmower with an ignition key. No need to pull the starter rope.

Optionally available

Steel wheels 43-COMPACT Mulching kit 43 COMPACT Mulching kit 43-H 6 Mulching kit 47-H 5 Article no. SAA12523 SA571 BSA632

BSA625

	51-A CLASSIC	52-S A	54- VARIO	54- VARIO E	54-K VARIO B
Cutting width	51 cm	50 cm	54 cm	54 cm	54 cm
For areas up to	1.500 m²	4.000 m²	2.500 m²	2.500 m²	2.500 m²
Engine Net power kW Engine speed in rpm	4-stroke-0HV 2,7 2800	4-stroke-OHV 3,4 2800	4-stroke-OHV 3,4 2800	4-stroke-OHV 3,4 2800	4-stroke-0HC 3,2 2800
Starter & Handling	Starter rope	Starter rope Soft-Grip	Starter rope Soft-Grip	Electric start + starter rope Soft-Grip	Starter rope Blade brake clutch Soft-Grip
Drive system	Single speed 2,9 km/h	Single speed 3,5 km/h	Variable speed 2,7-4,8 km/h	Variable speed 2,7-4,8 km/h	Variable speed 2,7-4,8 km/h
Cutting height adjustment	Central 5-fold 2,5-7,5 cm	For each wheel 7-fold 2,5-8,0 cm	Central 8-fold 2,0-9,5 cm	Central 8-fold 2,0-9,5 cm	Central 8-fold 2,0-9,5 cm
Mower chassis material	Steel 2 years warranty ¹⁾	Aluminium 15 years warranty ¹⁾	Aluminium 15 years warranty ¹⁾	Aluminium 15 years warranty ¹⁾	Aluminium 15 years warranty ¹⁾
Collector bag capacity	60 I	-	75 I	75 I	75 I
SAB0 Turbostar [™] -System	-	Side discharge	•	•	•
Mulching	Mulchkit Inklusive	o BSA642	o SA609	o SA609	∘ SA610
Height-adjustable handlebar	3-fold	3-fold	3-fold	3-fold	3-fold
Transportation & stowing	Foldable handle	Foldable handle with quick release & carrying handle	Foldable handle with quick release & carrying handle	Foldable handle with quick release & carrying handle	Foldable handle with quick release & carrying handle
Wheel bearing front/rear	Ball bearing	Ball bearing/ Bronze slide bearing	Ball bearing/ needle roller bearing	Ball bearing/ needle roller bearing	Ball bearing/ needle roller bearing
Weight	32 kg	41,5	47,5 kg	50 kg	56 kg
Article no.	SA112123	SA217223	SA227521	SA227621	SA222720

 $[\]bullet \text{ as standard } \circ \text{Optionally available } ^{1)} \text{Conditions valid for personal use only, the SABO warranty terms apply. }$











SABO 54-K VARIO B: When you let go of the safety handle, the blade stops rotating, but the engine continues to run so that you can effortlessly drive the mower to empty the collector bag.

Optionally available Article no.

Mulching kit 52-S A BSA642

Mulching kit 54 cm SA609

Mulching kit 54-K VARIO B SA610

	93-H	103-Н	110-S
Cutting width/	95 cm	102 cm	110 cm
blades	2 blades	2 blades	2 blades
For areas up to	6.000 m ²	7.000 m ²	10.000 m ²
Engine / no. of cylinders	4-stroke / 2	4-stroke / 2	4-stroke / 2
Net power kW	12,6	12,2	13
Engine speed in rpm	2600	2450	2700

Starter & Handling

Hydrostatic & ergonomically pedals

 Cutting height
 Central

 adjustment
 6-fold

 3,0-8,0 cm

Frame Torsionally rigid, durable and highly robust frame

Box capacity Capacity signal	250 I •	250 I •	Side discharge
Mulching	o SAB30123	o SAB30223	Mulching wedge included
Tyre size front / rear	15 x 6.00-6 / 18 x 8.50-8	15 x 6.00-6 / 18 x 8.50-8	15 x 6.00-6 / 18 x 8.50-8
Weight net / gross	237 kg / 300 kg	242 kg / 305 kg	234 kg / 290 kg
Dimensions L (with collector box) x W x H in cm	190 (245) x 102 x 118	190 (245) x 102 x 118	196 x 116 x 118
Trailer hitch	•	•	•
Front bumper	•	•	•
Headlights	LED	LED	LED
Article no.	SA270122	SA270222	SA270322







Optionally available Article no.

Mulching wedge 93-H SAB30123

Mulching wedge 103-H SAB30223

Impact guard / deflector SAB30323

Scarifiers

	33-V ACCU	38-BV	45-PR0 V	45-PR0 E V
Working width	33 cm	38 cm	45 cm	45 cm
For areas up to	400 m ²	1.500 m ²	4.000 m ²	4.000 m ²
Powered by Runtime / Fuel capacity	Li-lon battery 40 V 55 min *	Petrol 2,5 I	Petrol 3,6 l	Li-lon battery 56 V 70 min *
Engine Net power kW Engine speed rpm	Dual battery-slot 0,9 kW 3200	4-stroke-0HV 2,3 kW 3400	4-stroke-0HV 4,0 3300	EGO PU2710 3,2 3300
Drive system	Push	Push	Push	Push
Starter & Handling	Click & Go Quick engagement lever	Starter rope Quick engagement lever	Starter rope Quick engagement lever	Click & Go Quick engagement lever
Verticutter steel blades	14	15	19	19
Working depth adjustment	Continuously variable	Continuously variable	Continuously variable	Continuously variable
Chassis material	ABS plastic	Aluminium	Aluminium	Aluminium
Collector available	o SA350	o SA561	-	-
Height-adjustable handlebar	2-fold	-	2-fold	2-fold
Transportation & stowing	Carrying handle & foldable handlebar	Foldable handlebar	Foldable handlebar	Foldable handlebar
Wheel bearing front/rear	Slide bearing	Ball bearing	Ball bearing	Ball bearing
Weight	17,5 kg	37 kg	45 kg	45 kg
Article no.	SA530322	SA230822	SA331522	SA631524









Optionally available

Article no. SA350

SA561

Collector 33-V ACCU Collector 38-BV

	43-PR0	47-PRO VARIO	52-PRO S K A PLUS	54-PRO VARIO	54-PRO K VARIO B PLUS
Cutting width	43 cm	47 cm	50 cm	54 cm	54 cm
For areas up to	1.500 m ²	2.500 m²	5.000 m²	3.500 m ²	4.000 m ²
Engine Net power kW Engine speed in rpm	4-stroke-OHC 2,6 2800	4-stroke-OHC 3,2 2800	4-stroke-0HC 3,2 2800	4-stroke-OHV 3,2 2800	4-stroke-OHC 3,2 2800
Starter & Handling	Starter rope	Starter rope Soft-Grip	Starter rope Soft-Grip	Starter rope Soft-Grip	Starter rope Blade brake clutch Soft-Grip
Anti-Vibrations- System	-	•	•	•	•
Drive system	Push	Variable speed 2,7-4,5 km/h	Variable speed 2,2-3,7 km/h	Variable speed 2,7-4,8 km/h	Variable speed 2,7-4,8 km/h
Cutting height adjustment	Central 8-fold 2,5-8,0 cm	For each wheel 7-fold 2,5-8,0 cm	For each wheel 7-fold 2,5-8,0 cm	For each wheel 8-fold 1,5-9,5 cm	For each wheel 8-fold 1,5-9,5 cm
Mower chassis material	Aluminium with Steel inlets 15 years warranty*	Aluminium with Steel inlets 15 years warranty *	Aluminium with Steel inlets 15 years warranty *	Aluminium with Steel inlets 15 years warranty *	Aluminium with Steel inlets 15 years warranty *
Collector bag capacity	65 I	65 l	Side discharge	751	75
SABO Turbostar™-System	-	•	Side discharge	•	•
Mulching	o BSA645	o BSA631	o BSA641	o SA612	∘ SA610
Height-adjustable handlebar	3-fold	3-fold	2-fold	2-fold	2-fold
Transportation & stowing	Foldable handle & carrying handle	Foldable handle & carrying handle	Foldable handle	Foldable handle & carrying handle	Foldable handle & carrying handle
Wheel bearing front/rear	Ball bearing	Ball bearing/ Bronze slide bearing	Ball bearing/ Bronze slide bearing	Ball bearing/ Bronze slide bearing	Ball bearing/ Bronze slide bearing
Fuel capacity	1,0 I	1,21	6,01	1,0	6,01
Weight	33 kg	49 kg	51 kg	54 kg	63 kg
Article no.	SA301020	SA321520	SA312120	SA322520	SA322720

 $[\]bullet \text{ as standard } \circ \text{Optionally available } \text{ *} \text{Conditions valid for personal use only, the SABO warranty terms apply.}$









Built to last: The high-grade die-cast aluminium chassis is reinforced with additional steel plates both inside and outside for added rigidity and durability.



Optionally available	Article no.
Mulching kit 43-PRO	BSA645
Mulching kit 47-PR0	BSA631
Mulching kit 52-PRO S A	BSA641
Mulching kit 54-PRO	SA612
Mulching kit 54-PRO VARIO	SA610

	43-PRO E PUSH	47-PRO E VARIO	50-PRO E S VARIO	54-PRO E VARIO
Cutting width	43 cm	47 cm	50 cm	54 cm
For areas up to	1.500 m ²	2.500 m ²	5.000 m²	3.500 m²
Engine model Net power kW ECO/TURBO Engine speed rpm ECO/TURBO	EGO PU2700 1,7 / 2,4 2400 / 2800	EGO PU2700 1,7 / 2,4 2400 / 2800	EGO PU2700 1,7 / 2,4 2400 / 2800	EGO PU2700 1,7 / 2,4 2400 / 2800
Recommended configuration	Li-lon 2x 12 Ah 56V & PRO E rapid charger	Li-lon 2x 12 Ah 56V & PRO E rapid charger	Li-lon 2x 12 Ah 56V & PRO E rapid charger	Li-lon 2x 12 Ah 56V & PRO E rapid charger
Battery / charger models	PRO E BA6720T battery / PRO E CH7000E rapid charge	PRO E BA6720T battery / PRO E CH7000E rapid charger	PRO E BA6720T battery / PRO E CH7000E rapid charger	PRO E BA6720T battery / PRO E CH7000E rapid charger
Runtime * ECO / TURBO	120 min / 90 min	85 min / 70 min	100 min / 80 min	80 min / 60 min
Charging time * 73% / 100%	45 min / 75 min	45 min / 75 min	45 min / 75 min	45 min / 75 min
Starter & Handling	Click & Go Soft-Grip	Click & Go Soft-Grip	Click & Go Soft-Grip	Click & Go Soft-Grip
Drive system **	Push	Variable speed 2,3-4,5 km/h	Variable speed 2,5-4,8 km/h	Variable speed 2,3-4,8 km/h
Cutting height adjustment	Central 8-fold 2,5-8,0 cm	For each wheel 7-fold 2,5-8,0 cm	For each wheel 7-fold 2,5-8,0 cm	For each wheel 8-fold 1,5-9,5 cm
Mower chassis material	Aluminium with steel inlet 15 years warranty ***	Aluminium with steel inlet 15 years warranty ***	Aluminium with steel inlet 15 years warranty ***	Aluminium with steel inlet 15 years warranty ***
Collector capacity	45 I	65 I	-	75 I
SABO Turbostar™- System	-	•	Side discharge	•
Mulching	o SAB10624	○ SAB10124	∘ SAB10224	∘ SAB10324
Height-adjustable handlebar	3-fold	3-fold	2-fold	2-fold
Transportation & stowing	Foldable handlebar & carrying handle	Foldable handlebar & carrying handle	Foldable handlebar	Foldable handlebar & carrying handle
Wheel bearing front/rear	Ball bearing	Ball bearing/ Bronze slide bearing	Ball bearing/ Bronze slide bearing	Ball bearing/ Bronze slide bearing
Weight w/o battery	30 kg	45 kg	43 kg	52 kg
Article no.	SA601324	SA621724	SA622224	SA622424

[•] as standard o Optionally available *With recommended battery configuration, may vary depending on mowing habits, grass condition and cutting height ** Depending on the operating mode selected (ECO TURBO) *** Conditions valid for personal use only, the SABO warranty terms apply.









IPX5certified charger





Details of the commercial battery scarifier on page 39

POWER UNIT FROM EGO: The PU2700 delivers performance rivalling that of a petrol engine and is engineered to tackle even the most demanding challenges effortlessly.

Offering maximum performance and durability, the PU2700 is a serious option compared to conventional internal combustion engines.



TurboStar System

The patented SABO TurboStar™ system lifts the grass before it is cut and ensures reliable collection in the grass collector - even when the grass is damp.





NOT JUST A MOWER. A SABO.



MADE IN
GERMANY
SINCE 1932

750

PSD GROUNDSCARE

Regent Yard, Regent Street, Whitewalls Industrial Estate, Colne, Lancashire, BB8 8LJ

Tel. 01282 856 819 sales@psdgroundscare.com www.psdgroundscare.com

SABO-MASCHINENFABRIK GMBH

Auf dem Höchsten 22 D-51645 Gummersbach

Tel. +49 (0) 22 61 704 - 0

post@sabo-online.com www.sabo-online.com

GET IN TOUCH WITH US!

This brochure is intended for worldwide distribution. Products in each country may differe from those shown in this catalogue. The information provided by your local SABO retailer is always the definitive one. This catalogue was last updated in April 2024 and is subject to changes in products, product names, article numbers, etc., e.g. due to technical development, changes in legal regulations or as part of general model maintenance.





